



RAMFOR “STANDARD” JOINING LINKS





Dimension Designation	Ramfor Nominal Dimension Times d	Tolerance %	
		+	-
A	6.00	2.0	2.0
B	4.20	2.0	2.0
C	1.83	2.0	2.5
E	0.67	2.5	0.0
R	4.50	2.0	2.5
K	1.40	2.0	2.5
S	1.0	2.5	2.5
M	1.41	2.5	2.5
N	1.28	2.5	2.5
W	1.34	2.5	2.5
F	1.13	2.5	0.0
T	1.59	2.0	2.5
U	1.30	2.0	2.5
D	1.52	2.0	2.5
d	1.00	2.0	0.0
r	0.03	2.0	0.0

All dimensions are approximate

RAMFOR "SLIM LINE" JOINING LINKS



2.8



Dimension Designation	Ramfor Nominal Dimension Times d	Tolerance %	
		+	-
A	6.00	2.0	2.0
B	4.20	2.0	2.0
C	1.83	2.0	2.5
E	0.67	2.5	0.0
R	4.50	2.0	2.5
K	1.40	2.0	2.5
S	0.82	2.5	2.5
M	1.41	2.5	2.5
N	1.32	2.5	2.5
W	1.22	2.0	2.5
F	1.13	2.5	0.0
T	1.59	2.0	2.5
U	1.30	2.0	2.5
D	1.30	2.0	2.5
d	1.00	2.0	2.0
r	0.03	2.0	0.0

All dimensions are approximate
d = chain diameter

KENTER JOINING LINKS



Dimension Designation	Ramfor Nominal Dimension Times d	Tolerance %	
		+	-
A	6.00	2.0	2.0
B	4.20	2.0	2.0
C	1.83	2.0	2.5
E	0.67	2.5	0.0
R	4.50	2.0	2.5
K	1.40	2.0	2.5
S	1.10	2.5	2.5
M	1.45	2.5	2.5
N	1.32	2.5	2.5
W	1.34	2.5	2.5
F	1.13	2.5	0.0
T	1.59	2.0	2.5
U	1.30	2.0	2.5
D	1.52	2.0	2.5
d	1.00	2.0	0.0
r	0.03	2.0	0.0

All dimensions are approximate